

L Number	Hits	Search Text	DB	Time stamp
27	137	(385/138).CCLS.	USPAT	2003/09/17 16:19
28	11519	vessel near3 interior	USPAT	2003/09/17 16:19
29	882	radiation near2 guide	USPAT	2003/09/17 16:19
30	8	(vessel near3 interior) and (radiation near2 guide)	USPAT	2003/09/17 16:24
31	165	362/572	USPAT	2003/09/17 16:46
32	4	("4219013" "4977418" "5230556" "5450291").PN.	USPAT	2003/09/17 16:25
33	13	4729070.URPN.	USPAT	2003/09/17 16:30
34	15	5000535.URPN.	USPAT	2003/09/17 16:32
35	9	5353786.URPN.	USPAT	2003/09/17 16:33
36	9	5353786.URPN.	USPAT	2003/09/17 16:34
37	7	("3114283" "3278739" "3786243" "3971621" "4706168" "4729070" "4988162").PN.	USPAT	2003/09/17 16:38
38	24	3278739.URPN.	USPAT	2003/09/17 16:39
39	2	5562842.URPN.	USPAT	2003/09/17 16:39
40	79	4677473.URPN.	USPAT	2003/09/17 16:40
41	6871	glass near3 clean\$3	USPAT	2003/09/17 16:48
42	0	362/572 and (glass near3 clean\$3)	USPAT	2003/09/17 16:47
43	51	(vessel near3 interior) and (glass near3 clean\$3)	USPAT	2003/09/17 16:48
44	75975	optic\$3 near3 fiber	USPAT	2003/09/17 16:48
45	0	((vessel near3 interior) and (glass near3 clean\$3)) and (optic\$3 near3 fiber)	USPAT	2003/09/17 16:48
46	0	(radiation near2 guide) and ((vessel near3 interior) and (glass near3 clean\$3))	USPAT	2003/09/17 16:48
47	2124	lens near3 clean\$3	USPAT	2003/09/17 16:48
48	0	(lens near3 clean\$3) and 362/572	USPAT	2003/09/17 16:49
49	7	(lens near3 clean\$3) and (vessel near3 interior)	USPAT	2003/09/17 17:25
50	25	spray with glass with window with clean\$3	USPAT	2003/09/17 17:26
51	0	(optic\$3 near3 fiber) and (spray with glass with window with clean\$3)	USPAT	2003/09/17 17:26
52	0	endoscop\$3 and (spray with glass with window with clean\$3)	USPAT	2003/09/17 17:26
53	161	spray with window with clean\$3	USPAT	2003/09/17 17:26
54	0	endoscop\$3 and (spray with window with clean\$3)	USPAT	2003/09/17 17:26
55	8	endoscop\$3 and (spray with window with clean\$3)	USPAT	2003/09/17 17:26